



Ministry of
Forests, Lands, Natural
Resource Operations
and Rural Development

File: 10550-20/Moberly Access Road FA S.52

November 3, 2021

Karen von Muehldorfer
Regulatory Manager
British Columbia Hydro and Power Authority
Site C Clean Energy
600-1055 Dunsmuir Street
Vancouver, British Columbia
V7X 1V5

Dear Karen von Muehldorfer:

Under Section 52(1)(b) of the *Forest Act* of British Columbia I am authorizing BC Hydro and Power Authority to harvest Crown timber within the area known as the Moberly Access Road.

The Moberly Access Road is approximately 2.4km long and it is tenured under Land Act License of Occupation L816216; F8016029. Clearing of vegetation on the access road is required to facilitate reservoir clearing works in the Moberly River drainage for the Site C Clean Energy Project (the Project). It is noted that the total volume to be cleared would be less than **10m³**; with the majority of cut timber expected to be waste wood.

Please note that the following conditions apply to this authorization:

- The licensee is required to the extent practicable, limit their harvesting of timber to the amount only required to safely conduct operations.
- Abate the fire hazard pursuant to the Wildfire Act.
- This Section 52 authorization ends in 2 years from the date of this letter.
- Maintenance of Environmental Assessment Certificate #E14-02 must be in good standing.
- Waste wood debris should be disposed of in accordance with the Project's Vegetation Clearing and Debris Management Plan.

Should you have any further questions regarding this authorization please contact Felix Oloite, License Authorization Officer, 250 795-4225..

Yours truly,

Dave Francis
Director of Authorizations
North East Region



Ministry of
Forests, Lands, Natural
Resource Operations
and Rural Development

File: 10550-20/Moberly Access Road FA S.52

October 5, 2020

Karen von Muehldorfer
Regulatory Manager
British Columbia Hydro and Power Authority
Site C Clean Energy
600-1055 Dunsmuir Street
Vancouver, British Columbia
V7X 1V5

Dear Karen von Muehldorfer:

Under Section 52(1)(b) of the *Forest Act* of British Columbia I am authorizing BC Hydro and Power Authority to harvest Crown timber within the area known as the Moberly Access Road.

The Moberly Access Road is tenured under Land Act License of Occupation 8016029, Crown Lands File number 8016139 and is 2.4 Km long. The access road is required to facilitate movement of logging equipment to commence harvesting on L50183. It is noted that timber along the Moberly Access Road is mostly immature brush with total merchantable timber volume not exceeding 50m³.

Please note that the following conditions apply to this authorization:


- The licensee is required to the extent practicable, limit their harvesting of timber to the amount only required to safely conduct operations.
- Abate the fire hazard pursuant to the Wildfire Act.
- This Section 52 authorization ends in 1 year from the date of this letter.
- Maintenance of Environmental Assessment Certificate #E14-02 must be in good standing.

Should you have any further questions regarding this authorization please contact Janelle Dale, RPF, Licensed Authorizations Officer at 250-795-4161 or Janelle.dale@gov.bc.ca.


Yours truly,

Dave Francis
Director of Authorizations
North East Region

Attachment: Sec 52 Moberly Clearing Access General Location Map



K:\AcGIS\Projects\Permitting\Construction\Trans_NoS\Shooh\Hun_1016-C14-08875-13



Map Notes:
 1. Datum: NAD83
 2. Projection: UTM Zone 10N
 3. Base Data: Province of B.C.

Legend

- Moberly Access Loo Permit Application Area (approx. 1 ha)
- Road
- Highway
- Railway

1:200,000 0 5 km

Overview Map Moberly Access Loo Permit Application Area				
Date	August 2, 2018	DWG NO	1016-N11-00080-1	R 0



Ministry of
Forests, Lands, Natural
Resource Operations
and Rural Development

File: 10550-20/Moberly Access Road FA S.52

October 23, 2019

Karen von Muehldorfer
Regulatory Manager
British Columbia Hydro and Power Authority
Site C Clean Energy
600-1055 Dunsmuir Street
Vancouver, British Columbia
V7X 1V5

Dear Karen von Muehldorfer:

Under Section 52(1)(b) of the *Forest Act* of British Columbia I am authorizing BC Hydro and Power Authority to harvest Crown timber within the area known as the Moberly Access Road.

The Moberly Access Road is tenured under Land Act License of Occupation 8016029 and is 2.4 KM long. The access road is required to facilitate movement of logging equipment to commence harvesting on L50183. It is noted that timber along the Moberly Access Road is mostly immature brush with total merchantable timber volume not exceeding 50m³.

Please note that the following conditions apply to this authorization:

- The licensee is required to the extent practicable, limit their harvesting of timber to the amount only required to safely conduct operations.
- Abate the fire hazard pursuant to the Wildfire Act.
- This Section 52 authorization ends October 4, 2020.
- Maintenance of Environmental Assessment Certificate #E14-02 must be in good standing.

Should you have any further questions regarding this authorization please contact Wendi Knott, Senior Authorization Specialist at (250)784-1200.

Yours truly,

Dave Francis

Director of Authorizations



Ministry of
Forests, Lands, Natural
Resource Operations
and Rural Development

File: 10550-20/Moberly Access Road FA S.52

October 2, 2018

Karen von Muehldorfer
Regulatory Manager
British Columbia Hydro and Power Authority
Site C Clean Energy
600-1055 Dunsmuir Street
Vancouver, British Columbia
V7X 1V5

Dear Karen von Muehldorfer:

Under Section 52(1)(b) of the *Forest Act* of British Columbia I am authorizing BC Hydro and Power Authority to harvest Crown timber within the area known as the Moberly Access Road.

The Moberly Access Road is tenured under Land Act License of Occupation 8016029 and is 2.4 KM long. The access road is required to facilitate movement of logging equipment to commence harvesting on L50183. It is noted that timber along the Moberly Access Road is mostly immature brush with total merchantable timber volume not exceeding 50m³.

Please note that the following conditions apply to this authorization:

- The licensee is required to the extent practicable, limit their harvesting of timber to the amount only required to safely conduct operations.
- Abate the fire hazard pursuant to the Wildfire Act.
- This Section 52 authorization ends in 1 year from the date of this letter.
- Maintenance of Environmental Assessment Certificate #E14-02 must be in good standing.

Should you have any further questions regarding this authorization please contact Al Rodine, Senior Resource Technologist at (250)784-1255.

Yours truly,

Dave Francis
Director of Authorizations
North East Region